



Building a better future
Global Leader

HORIZONTAL HIGH PRESSURE PUMPS

Up To 400kg/cm²



APPLICATIONS


- *Boiler Feed for Thermal Power Plants & Energy Plants*
- *Feed Water & Feed Water Booster for Nuclear Power Plants*
- *Descaling*
- *Crude Oil*
- *Process*
- *Water Injection*
- *Pipeline*
- *Reactor Charge*



HYUNDAI
HEAVY INDUSTRIES CO.,LTD.


ENGINE & MACHINERY

HMB



Applications	Process Fluids, Water Injection, Pipeline Reactor Charge, Descaling, Boiler Feed	
Bore	100 ~ 400 mm	
Capacity	200 ~ 2000 m ³ /h	
Total head	~ 4000 m	
Liquid temperature	~ 400 °C	
Speed	3000 / 6000 rpm	By request
Driver	Motor or Steam Turbine	
Type	Horizontal, Multi-stage, Double-volute, Double-case, Centerline-supported	

HDR



Applications	Boiler Feed	
Bore	400 ~ 600 mm	
Capacity	2000 ~ 6000 m ³ /h	
Total head	500 ~ 800 m	
Liquid temperature	~ 400 °C	
Speed	~ 6000 rpm	
Driver	Motor or Steam Turbine	
Type	Horizontal, Radially-split, Double-suction, Centerline-supported	





OVERSEAS BRANCH OFFICES

U.S.A.

NEW JERSEY

300 SYLVAN AVENUE ENGLEWOOD CLIFFS,
NJ 07632, U.S.A.
TEL: 1-201-816-4080 / 4081 / 4082
FAX: 1-201-816-4083

HOUSTON

1400 BROADFIELD, SUITE 110, PARK 10
CENTER HOUSTON, TEXAS 77084, U.S.A.
TEL: 1-281-578-7802 / 8216 / 7097
994-5000 / 5001
FAX: 1-281-5